

Page 1/9

Safety Data Sheet according to HPR, Schedule 1

Printing date 12/21/2023

Reviewed on 12/21/2023

Tel.: +49 (0)800 4372522

1 Identification

- · Product identifier
 - · Trade name: Venus Diamond

- · Application of the substance / the mixture Dental filling material
- · Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Information department:

Tel. +1 (800) 431-1785 Fax: +1 (800) 522-1545 e-mail: customer.servicehkna@kulzer-dental.com

· Emergency telephone number:

Emergency CONTACT (24-Hour-Number) ID 105860: (domestic) 1 800 535 5053 or international (001) 352 323 3500

2 Hazard identification

Classification of the substance or mixture

Skin Sensitizer - Category 1 H317 May cause an allergic skin reaction.

- · Label elements
 - GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labeling:

2-Propenoic acid, (octahydro-4,7-methano-1H-indene-5 -diyl)bis(methyleneiminocarbonyloxy-2,1ethanediyl) ester

7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate 2-Propenoic acid, 1,1'-[(octahydro-4,7-methano-1H-indene-5,?-diyl) bis(methyleneoxycarbonylamino-2,1-ethanediyl)] ester triethylen glycol dimethacrylate

· Hazard statements

May cause an allergic skin reaction.

Precautionary statements

Avoid release to the environment.

Wear protective gloves / eye protection.

Wear protective clothing.

If on skin: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

(Contd. on page 2)



Page 2/9

Safety Data Sheet according to HPR, Schedule 1

Printing date 12/21/2023 Reviewed on 12/21/2023

Trade name: Venus Diamond

· Classification system · NFPA ratings for USA (scale 0-4) (Contd. of page 1)



Health = 0 Fire = 1 Reactivity = 0

· HMIS-Ratings (Scale 0-4)



Health = 0 Fire = 1 Reactivity = 0

· Other hazards -

3 Composition/Information on ingredients

- · Chemical characterization: Mixtures
 - Description: -

Doodiipa	~	
· Dangerou	ıs components:	
861437-11-8	2-Propenoic acid, (octahydro-4,7-methano-1H-indene-5 -diyl) bis(methyleneiminocarbonyloxy-2,1-ethanediyl) ester Skin Sensitizer - Category 1, H317	≥5-≤10% w/w *
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane- 1,16-diyl bismethacrylate Skin Sensitizer - Category 1B, H317	≥1-≤5% w/w *
945656-78-0	2-Propenoic acid, 1,1'-[(octahydro-4,7-methano-1H-indene-5,?-diyl) bis(methyleneoxycarbonylamino-2,1-ethanediyl)] ester Skin Sensitizer - Category 1, H317	≥1-≤5% w/w *
	triethylen glycol dimethacrylate Skin Sensitizer - Category 1B, H317	≥1-≤5% w/w *

^{*} Actual concentration ranges are withheld as a trade secret.

4 First-aid measures

- · Description of first aid measures
 - · After inhalation Supply fresh air; consult doctor in case of complaints.
 - · After skin contact Immediately wash with water and soap and rinse thoroughly.
 - · After eye contact Rinse opened eye for several minutes under running water.
 - · After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

Seek immediate medical advice.

- · Information for doctor
 - Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

[·] Additional information For the wording of the listed hazard phrases refer to section 16.



Page 3/9

Safety Data Sheet according to HPR, Schedule 1

Printing date 12/21/2023 Reviewed on 12/21/2023

Trade name: Venus Diamond

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
 - · Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire fighting measures that suit the environment.

· Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · Advice for firefighters
 - Protective equipment: No special measures required.
- · Additional information -

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Dilute with plenty of water.
- Methods and material for containment and cleaning up:

Absorb with liquid binding material (diatomite, universal binders, for small amounts tissues).

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

-

7 Handling and storage

- · Handling
 - Precautions for safe handling

Please observe the additional instructions in the product's instructions for use.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
 - · Storage
 - Requirements to be met by storerooms and receptacles: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/ Personal protection

· Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 4)



Page 4/9

Safety Data Sheet according to HPR, Schedule 1

Printing date 12/21/2023 Reviewed on 12/21/2023

Trade name: Venus Diamond

(Contd. of page 3)

· Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Not required.

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

Personal protective equipment

· General protective and hygienic measures

Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

· Breathing equipment: Not required.

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.

Check protective gloves prior to each use for their proper condition.

recommended

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR Nitrile rubber, NBR

Eye protection: Safety glasses

· Body protection: Light weight protective clothing

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

Appearance:

Form: Pasty
Color: White
Yellowish

· Odor: · Odor threshold:

Not determined.

Odorless

(Contd. on page 5)



Page 5/9

Safety Data Sheet according to HPR, Schedule 1

Printing date 12/21/2023 Reviewed on 12/21/2023

Trade name: Venus Diamond

	(Contd. of pa
· pH-value:	Not determined.
· Change in condition · Melting point/Melting range: · Boiling point/Boiling range:	undetermined undetermined
· Flash point:	>150 °C (>302 °F)
· Flammability (solid, gaseous)	Not applicable.
Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapor pressure:	Not determined.
Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate	2,23 g/cm³ (18,60935 lbs/gal) Not determined. Not determined. Not determined.
Solubility in / Miscibility with Water:	Not miscible or difficult to mix
· Partition coefficient (n-octanol/wa	ater): Not determined.
· Viscosity: · dynamic: · kinematic:	Not determined. Not determined.
· Other information	No further relevant information available.

10 Stability and reactivity

- Reactivity No further relevant information available.
 Possibility of hazardous reactions No dangerous reactions known
 Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: none
- · Additional information: -

(Contd. on page 6)



Page 6/9

Safety Data Sheet according to HPR, Schedule 1

Printing date 12/21/2023 Reviewed on 12/21/2023

Trade name: Venus Diamond

(Contd. of page 5)

11 Toxicological information Information on toxicological effects Acute toxicity: · LD/LC50 values that are relevant for classification: 861437-11-82-Propenoic acid, (octahydro-4,7-methano-1H-indene-5 -diyl) bis(methyleneiminocarbonyloxy-2,1-ethanediyl) ester Oral LD50 >2.000 mg/kg (rat) 72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate LD50 >5.000 mg/kg (rat) (OECD 401) Oral Dermal LD50 >2.000 mg/kg (rat) (OECD 402) 109-16-0 triethylen glycol dimethacrylate LD50 8.300 mg/kg (rat) weight of evidence Dermal LD50 >2.000 mg/kg (mouse) 131-57-7 Oxybenzone LD50 >12.800 mg/kg (rat) (OECD 401) Dermal LD50 >16.000 mg/kg (rabbit) (OECD 402) Primary irritant effect: · on the skin: No irritant effect. on the eye: No irritating effect. · Sensitization: Sensitization possible through skin contact. · Additional toxicological information: Irritant · Carcinogenic categories IARC (International Agency for Research on Cancer) 7631-86-9 silicon dioxide, chemically prepared 3 128-37-0 2,6-di-tert-butyl-p-cresol 3 NTP (National Toxicology Program) None of the ingredients is listed. Reproductive toxicity Based on available data, the classification criteria are not met.

12 Ecological information

_		
In	VIC	Itv

· Aquatic to	oxicity:
65997-17-3	Glaspulver
EC50/72h	>1.000 mg/l (daphnia)
LC50/96h	>1.000 mg/l (fish)
ErC50 / 72 h	>1.000 mg/l (algae)
NOEC / 72h	1.000 mg/l (algae)

(Contd. on page 7)



Page 7/9

Safety Data Sheet according to HPR, Schedule 1

Printing date 12/21/2023 Reviewed on 12/21/2023

Trade name: Venus Diamond

	(Contd. of page
	1.000 mg/l (daphnia)
	2-Propenoic acid, (octahydro-4,7-methano-1H-indene-5 -diylbis(methyleneiminocarbonyloxy-2,1-ethanediyl) ester
EC50/48h	24,9 mg/l (daphnia) Mitteilung Bayerindustry (mail v. 25.10.2007 v. Fr. Wisselink)
	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diy Dismethacrylate
EC50/48h	>1,2 mg/l (daphnia) (OECD 202)
LC50/96h	10,1 mg/l (fish) (OECD 203)
ErC50 / 72 h	>0,68 mg/l (algae) (OECD 201)
NOEC / 72h	0,21 mg/l (algae) (OECD 201)
109-16-0 trie	thylen glycol dimethacrylate
EC50/21d	51,9 mg/L (daphnia) (OECD 211)
LC50/96h	16,4 mg/l (fish) (OECD 203)
NOEC / 21d	32 mg/l (daphnia) (OECD 211)
ErC50 / 72 h	>100 mg/l (algae) (OECD 201)
NOEC / 72h	18,6 mg/l (algae) (OECD 201)
EbC50 / 72h	72,8 mg/l (algae) (OECD 201)
131-57-7 Ox	
EC50/48h	1,87 mg/l (daphnia) (OECD 202)
LC50/96h	3,8 mg/l (fish) (OECD 203)
ErC50 / 72 h	0,67 mg/l (algae) (OECD 201)
NOEC / 72h	0,18 mg/l (algae) (OECD 201)
NOEC / 96h	0,72 mg/l (fish) (OECD 203)
NOEC / 48h	1,15 mg/l (daphnia) (OECD 202)
	and degradability
k	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-di pismethacrylate
	lity 22 % /28d (not defined) (OECD 301B; ISO/ 9439/ EEC 92/69/V, C.4-C)
	thylen glycol dimethacrylate
	lity 85 % /28d (not defined) (OECD 301B; ISO/ 9439/ EEC 92/69/V, C.4-C)
131-57-7 Ox	
	lity 60-70 % /28d (not defined)
	environmental systems:
	nulative potential
131-57-7 Ox	vbenzone

131-57-7 Oxybenzone

Bloconcentration factor (BCF) | >33-<160 (fish) (OECD 305)

- Mobility in soil No further relevant information available.
- Additional ecological information:
 - General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

(Contd. on page 8)



Page 8/9

Safety Data Sheet according to HPR, Schedule 1

Printing date 12/21/2023 Reviewed on 12/21/2023

Trade name: Venus Diamond

(Contd. of page 7)

- · Results of PBT and vPvB assessment
 - · PBT: Not applicable.
 - · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
 - Recommendation

Small quantities can be polymerized by light and the cured solid material can be disposed of with the regular garbage. Larger quantities must be disposed of following the regulations of the local authorities.

- · Uncleaned packagings:
 - · Recommendation: Disposal must be made according to official regulations.

4 Transport information		
UN-Number DOT/TDG, ADR, ADN, IMDG, IATA	Void	
UN proper shipping name DOT/TDG, ADR, ADN, IMDG, IATA	Void	
· Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA Class	Void	
Packing group DOT/TDG, ADR, IMDG, IATA	Void	
Environmental hazards: Marine pollutant:	No	
· Special precautions for user	Not applicable.	
Transport in bulk according to Annex II MARPOL73/78 and the IBC Code	l of Not applicable.	
· Transport/Additional information:	-	
· UN "Model Regulation":	Void	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· SARA Section 355 (extremely hazardous substances)

None of the ingredients is listed.

(Contd. on page 9)



Page 9/9

Safety Data Sheet according to HPR, Schedule 1

Printing date 12/21/2023 Reviewed on 12/21/2023

Trade name: Venus Diamond

(Contd. of page 8)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H317 May cause an allergic skin reaction.

Date of the latest revision of the safety data sheet 12/21/2023

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

* Data compared to the previous version altered.